



ON PERFORMANCE ANALYSIS OF CORELESS PERMANENT MAGNET MACHINE

Amirhossein Koushki¹, Zahra Nasiri Gheidari^{2*}

Abstract

Coreless Permanent Magnet (CPM) machines are increasingly used in many industrial applications, such as automotive and aerospace applications, wind turbines, medical equipment, robotics, servo drives, and so on. In coreless permanent magnet DC machines, the rotor has a coreless winding structure and due to the absence of an iron core, the permanent magnet plays a significant role in these machines. Also, the shaft's material can change the flux distribution and is another effective parameter on machine performance. Thus, in this paper, a typical coreless PMDC brushed machine is simulated and the effects of magnetization direction and the amount of the residual flux density of permanent magnet, and also the influence of ferromagnetic and non-ferromagnetic material of the shaft on machine performance, are studied and analyzed through three-dimensional finite element analysis. The results show that using a ferromagnetic shaft with a diametrical magnetized permanent magnet can improve the machine's performance in motor mode.

Keywords: Coreless Machine, Rhombic Winding, Magnetization Direction, PMDC Machine, Permanent Magnet

Received Date: 2023-05-15; Revised Date: 2023-07-01; Accepted Date: 2023-08-08

1. INTRODUCTION

Due to the increasing needs of industries for high power density, high dynamic, and high-efficiency machines, coreless machines have been of interest in recent years. Although the invention of coreless machines goes back to the 1930s, they couldn't be attractive to manufacturers until the late 1960s. As their name suggests, coreless machines have no iron core either for the stator or rotor or both for the stator and rotor structure [1]. Although, they may be completely coreless or they may have rotor back-iron or iron housing to enclose the permanent magnet flux. So, some other terms like "iron-less", "air-cored", "plastic structure [2]" and "non-ferromagnetic disk" have been used for this kind of machine [1]. Of course, researches on the both coreless rotor and stator are very few [1].

The absence of an iron core in an electric machine causes several advantages: 1) for coreless rotor configuration, reduction of machine weight and therefore higher dynamic of the motor that leads to low mechanical time constant even less than 10ms and better controllability [3] and [4] 2) negligible core losses including eddy current and hysteresis losses. So, it can lead to more power density and efficiency up to 95% [4]. 3) Absence of magnetic saturation issues. 4) Low inductance due to increased flux path reluctance, leads to less arc between brushes and commutator and increase in brush lives. Also, the losses and electromagnetic interferences (EMI) decrease. 5) No cogging torque, torque ripple, and axial pull force between stator and rotor [5] - [7].

Besides the advantages, there are some disadvantages for coreless machines too: 1) Need for more MMF to create a certain flux through the air gap, and as a result, need for more powerful and higher magnet volume [8] and [9]. 2) Weak heat dissipation compared to conventional machines in which the iron core acts like a heatsink for the windings. 3) Stringent current ripple due to low inductance, makes difficulties in drive considerations [9].

The absence of an iron core causes the linkage flux decreases. Therefore, it is required to use powerful permanent magnets (PMs) to make enough flux density in air-gap to create sufficient torque and power, which means, almost all coreless machines have PMs in their structure. On the other hand, almost any kind of machine can be built in a coreless structure. But generally, coreless machines can be divided into two types: Axial-Flux Coreless PM (AFCPM) machines and Radial-Flux Coreless PM (RFCPM) ones. However, some nascent ideas of hybridization of AFPM and RFPM machines is presented in recent years to achieve more power and torque density [10] and [11]. Due to the disk-type shape, high compactness, and light mass of the AFCPM machine, it has been used in many applications such as hydro energy power generation [12], automotive applications [13], propulsion of vehicles like EVs and aircrafts [14], flywheel energy storage systems [15] and wind turbines [16]. RFCPM machines are more suitable for high-speed applications compared to their axial-flux counterparts [17] and they are quite compatible with servo industrial drives [16], various hand-help battery-operated devices, medical equipment, ATM cash

dispensers, robotics, laser leveling system drives, and aviation and space applications [3].

AFCPM machines have attracted more attention and there are lots of researches on their optimal design and performance analysis [11]-[15]. In [19] a multi-objective optimization is proposed for a design of a multidisc coreless AFPM machine through the combination of response surface method (RSM) and genetic algorithm (GA) which improves the torque ripple. In [20], the PM shape impacts on a back emf waveform and torque ripple of an AFCPM have been investigated and demonstrated that sector-like magnets and then square magnets, lead to good results. Also, Halbach array PM arrangements have been widely studied and used to improve the quality and sinusoidal level of air-gap flux density in coreless machines [4] and [21].

One of the novelties presented for coreless windings is using flexible PCB, instead of copper wires. Using PCB has advantages like coil accuracy, design flexibility, and manufacturing process reliability [14]. For example, in [22] a new topology of flexible PCB winding is proposed and shown that it can make higher copper filling factor, better heat dissipation, and reduction of phase resistance that causes a great improvement of the machine performance in comparison with other topologies [14] and [22]. Also, in [23] 3D printing technology is applied to improve the output power and efficiency of a collaborative robot. In [15] a novel coreless multi-phase magnetic resonant motor (MMRM) with analytical design has been presented where the stator and rotor are 3-D printed by reinforced plastic fibers. However, the stator coreless winding in AFPM machines are mostly trapezoidal shape coils which can lead to better winding factor compared to circular and rhomboidal coils [4]. For example, in [4] a novel composite structure on trapezoidal coils using wedge-shape effective conductors is proposed which reduces the eddy current and DC copper losses and improves the output characteristics.

It is noteworthy that in high-speed machines, the eddy current losses become a significant issue and it may cause PM demagnetization due to overheating [24]. Many researches have considered this problem and proposed the calculation of eddy current losses in coreless PM machines [24] and [25]. For example, in [26] a 3D model of armature reaction field of helical winding is presented with considering rotor eddy current losses.

The coreless AFPM machines mostly are synchronous or BLDC machines with a 3-phase coreless or slot-less stator winding and a few researches have been done on rotor coreless windings. In [27], a comparison between Rhombic and concentrated winding has been done in a slot-less RFPM BLDC motor and it's shown that the torque ripple with rhombic winding is less than that of the other one. Also, in [25] a 3-D modeling approach was proposed for 3 different kinds of skewed slot-less or air-gap windings such as skewed, rhombic, and hexagonal for a 3phase cylindrical machine, to calculate the electromagnetic fields and modeling the armature reaction field considering PM eddy-current losses. In addition, in [24], an analytical approach for 3-D

modeling and calculating the magnetic field caused by helical winding is presented. Authors of [3] have proposed a parameter identification method to estimate the precise model of an unknown PMDC micro coreless motor used in accurate control systems and optimization, regardless of the given manufacture's data of motor specifications. For this purpose, the authors have used an optimization method, so-called "gray wolf optimizer" and evaluated the effectiveness of this method compared to (genetic algorithm) other optimization technique.

Also, some worthwhile researches have been done in [4] and an innovative structure for a disk-type double-sided coreless brushed PMDC motor is presented. The special arrangement of windings with novel arcless commutating, makes the structure simple and feasible for manufacturing process. The authors have used a radial division technique which can consider various shapes of coils and PMs. Also, for design calculations, a creative irritative design algorithm is proposed. Then, a prototype is manufactured and proved the feasibility and accuracy of the proposed design method.

Based on the best knowledge of the authors, the coreless rotor winding has been rarely studied. Furthermore, coreless radial-flux PM machines, especially on cylindrical brushed DC types are less considered in the literature. Therefore, in this paper, the focus is on the coreless RFPM brushed DC machine, and the influence of PM material, the charging direction of the PM, and the employed material for the shaft on the performance of a typical machine is studied by 3D time stepping finite element analysis.

2. THE STUDIED MACHINE

One of the most applicative types of coreless machines is the brushed DC coreless machine. Due to the simplicity and lightness of its structure, this machine has numerous applications in many industries such as medical equipment (X-ray machines, laboratory equipment, prosthetics, and small pumps), domestic, vibrators and, banking and office automation (ATMs) [3]. Also, because of the high dynamic of the rotor, they are used in sensitive robotic applications [3].

The structure of a typical coreless brushed DC machine is shown in Fig. 1. The length and the outer diameter of the machine are 100mm and 50mm, respectively. The nominal voltage and terminal resistance of the studied motor are 24 V, and 103 m Ω , respectively.

The stator includes the fixed 2-pole sinusoidally magnetized PM in the middle with the motor iron housing guiding the magnetic flux. Also, the rotor is made of a rhombic shape winding with a self-supporting




Fig. 1. STRUCTURE OF A TYPICAL CORELESS PMDC MACHINE

structure and 15 rhombic coils which are wound in the form of lap (spiral) winding. It is worth mentioning that in a coreless machine, unlike conventional electric machines, there is no iron core for windings to be wound around it. Therefore, the winding must have a self-supporting structure or it can have a non-ferromagnetic core like plastic or fiber carbon. The coreless winding with no core must be covered by epoxy resin, to guarantee enough winding strength at high speeds. Such an air-gap winding is used in low-power, high-speed machines mainly for two reasons: first the absence of cogging torque and losses resulting from slotting, and second low-cost manufacturing for small-sized slotless or coreless PM machines compared to slotted ones. However, the less magnetic loading of coreless machines results in higher copper losses [28].

The brushes and commutator can be made of precious metal for small currents and voltages due to their low contact resistance. For higher currents and powers, the

graphite-copper brushes and copper alloy commutator are better suited and they are less sensitive to brush fires which are inevitable.

For creating enough magnetic flux in the coreless machines, high-power permanent magnets are used. The rare-earth Neodymium-Iron-Boron magnets are suitable choices due to their good accessibility and high energy. Therefore, the amount of flux density and the magnetization direction of magnets, are effective parameters in coreless machines. In the current design, a NdFeB permanent magnet with the residual flux density (B_r) of 0.5 Tesla is employed.

The shaft and the stator are made of ferromagnetic materials. In the studied machine, CK-45 steel is used for stator housing and the effects of the ferromagnetic or non-ferromagnetic shaft's material on the machine's performance are discussed.

3. 3D FINITE ELEMENT ANALYSIS

Ansys Electronics Desktop 2022R2 is used for the simulation. The schematic of the mesh on the studied machine is shown in Fig. 2. The total number of mesh elements is 273400.

The performance of the machine is discussed in motor and generator mode and the influence of the PM's charging direction and the residual flux density, as well as the employed shaft material, is studied. It is worth mentioning that for each simulation, only one parameter is changed and the others are kept in nominal conditions to clarify the influence of the variable factor. For the amplitude of residual flux density of the permanent magnet, B_r , 0.4, 0.5, and 0.6 T are examined and for the magnetization direction, the radial and diametrical magnetization are applied to the PM. Fig. 3 shows the distribution of the magnetic flux density on the studied machine with two studied magnetization directions.

3.1. MOTOR MODE

A 405 mNm load torque is considered the full-load torque in motor conditions corresponding to nominal speed. Repeating the simulations for diametrical and radial magnetization of the PM, as shown in Fig. 4, shows the first can make more flux linkage without changing in waveform and thus, higher amplitude of induced electromagnetic force (emf) in coils.

Other performance characteristics of the studied machine considering radial/diametrical magnetization of the PM are summarized in Table 1.

Also, the non-ferromagnetic shaft caused a reduction in flux linkage and thus in the induced voltage (emf) especially due to an increase in air-gap reluctance of the flux path in the middle of the PM. Therefore, as the torque is proportional directly to the magnetic flux in a PMDC machine, for a certain amount of torque in motor mode, it drains more current to generate the desired torque. The performance indices of the motor considering the shaft material are given in Table 2.

To study the influence of the B_r , the ferromagnetic shaft and radially magnetized PM are considered.




Fig. 2. THE SCHEMATIC OF THE MESH ON THE STUDIED MOTOR




Fig. 3. CROSS SECTION OF MACHINE; THE DISTRIBUTION OF THE MAGNETIC FLUX DENSITY ON THE STUDIED MACHINE: (a) USING RADIAL MAGNETIZATION OF THE PM, AND (b) USING DIAMETRICAL MAGNETIZATION OF THE PM




Fig.4. THE INFLUENCE OF USING RADIAL/DIAMETRICAL MAGNETIZATION OF THE PM.

TABLE 1. THE INFLUENCE OF USING RADIAL/DIAMETRICAL MAGNETIZATION OF THE PM, CONSIDERING NOMINAL LOAD (I: CURRENT, N: NOMINAL SPEED, T_{ripple} : TORQUE RIPPLE, η : EFFICIENCY, AND P_{out} : OUTPUT POWER)

Magnetization direction	I (A)	N (rpm)	T_{ripple} (%)	η (%)	P_{out} (W)
Diametrical	6.77	3230	1.23	84.31	137
Radial	9.1	4050	1.97	78.66	171.8

TABLE 2. THE INFLUENCE OF USING FERROMAGNETIC/NON-FERROMAGNETIC MATERIAL FOR THE SHAFT, CONSIDERING NOMINAL LOAD

Shaft material	I (A)	N (rpm)	T_{ripple} (%)	η (%)	P_{out} (W)
non-ferromagnetic	10.6	4580	4.93	76.35	194.24
ferromagnetic	9.1	4050	1.97	78.66	171.8

The results show that by increasing the PM's residual flux density, the current and torque ripple decrease. Also, it shows that in spite of the reduction in output power by increasing in B_r , the efficiency improves. It should be noted that the efficiency and torque ripple is considered for a constant load torque condition and not in rated torque condition. The electromagnetic torque of the studied machine considering different values for B_r are given in Fig. 5 and the other performance indices are summarized in Table 3.

3.2. GENERATOR MODE

In generator mode, the rotor is rotated using the nominal speed and the output voltages in no-load and full-load conditions (2.12Ω resistive load) are calculated. The influence of different values for the B_r are given in Table 4. Also, the output voltage of the machine considering different values of B_r , is presented in Fig. 6. It can be seen from Fig. 6 that by increasing B_r , despite increasing in output voltage, the voltage ripple increases, unlike torque ripple in motor mode.

The influence of the magnetization direction is also studied in the generator mode and the results are given in Table 5.

And finally, the influence of the shaft material in generator mode is presented in Table 6. As can be seen from Table 6, using a non-ferromagnetic shaft leads to an increase in magnetic flux path reluctance and thus reduction in flux and induced voltage and output power.




Fig.5. THE ELECTROMAGNETIC TORQUE OF THE STUDIED MACHINE CONSIDERING DIFFERENT VALUES FOR B_r

TABLE 3. THE INFLUENCE OF USING DIFFERENT VALUES FOR B_r , CONSIDERING NOMINAL LOAD

B_r (T)	I (A)	N (rpm)	T_{ripple} (%)	η (%)	P_{out} (W)
0.4	11.1	4567	8.1	72.7	193.7
0.5	9.1	4050	1.97	78.66	171.8
0.6	7.5	3520	1.48	82.9	149.28

TABLE 4. THE INFLUENCE OF USING DIFFERENT VALUES FOR B_r , IN GENERATOR MODE

B_r (T)	No-load	Full-load	
	Output voltage(V)	Output voltage(V)	Current(A)
0.4	19.4	15.6	7.4
0.5	24.2	19.8	9.35
0.6	28.9	24	11.3




Fig. 6. THE OUTPUT VOLTAGE OF THE MACHINE CONSIDERING DIFFERENT VALUES OF B_r WITH $R_{\text{LOAD}}=2.12 \Omega$

TABLE 5. THE INFLUENCE OF MAGNETIZATION DIRECTION, IN GENERATOR MODE

Magnetization direction	No-load	2.12 Ω resistive load	
	Output voltage(V)	Output voltage(V)	Current (A)
diametrical	32.7	26.4	12.4
radial	24.2	19.8	9.35

TABLE 6. THE INFLUENCE OF SHAFT MATERIAL, IN GENERATOR MODE

Shaft material	No-load	2.12 Ω resistive load	
	Output voltage(V)	Output voltage(V)	Current (A)
Non-ferromagnetic	19.5	16.7	7.88
ferromagnetic	24.2	19.8	9.35

The results show that using a ferromagnetic shaft or diametrical charged PM can lead to less current and torque ripple in motor mode with the same load and more output voltage in generator mode. Therefore, it seems that the simultaneous use of a ferromagnetic shaft and diametrical magnetized PM with the maximum amount of B_r , improves the machine performance, especially in motor mode.

4. CONCLUSION

In this paper, a typical coreless brushed PMDC machine was simulated and the effects of the ferromagnetic and non-ferromagnetic material of the shaft, the radial and diametrical magnetization of PM and different amounts of B_r were analyzed and discussed in motor mode and generator mode. It was shown that by using either the ferromagnetic shaft or diametrical magnetized PM, despite the reduction in output power, the flux linkage increases and the current and torque ripple decrease in motor mode. Also increasing the amount of permanent magnet B_r leads to the same results for motor mode.

It is noteworthy that although, increasing the magnetic flux, decreases the output power due to a reduction in the machine's rated speed, but with the equal thermal capability of windings and PM, it causes an increase in the power capability of the machine. Also, it should be noted that the efficiency and torque ripple are considered in a constant load torque condition and not in rated torque condition. The impacts of studied parameters on the rated machine's indices will be studied in the near future. The results also showed that in generator mode increasing in flux linkage happened in the same ways as in motor mode and led to more output voltage but with more voltage ripple.

REFERENCES

- [1] Habib, A., Mohd Zainuri, M.A.A., Che, H.S., Ibrahim, A.A., Rahim, N.A., Alas, Z.M. and Ahmed, M.M.R., 2022. A systematic review on current research and developments on coreless axial flux permanent magnet machines. *IET Electric Power Applications*, 16(10), pp.1095-1116.
- [2] Yang, L., Zhao, J., Liu, X., Haddad, A., Liang, J. and Hu, H., 2018. Comparative study of three different radial flux ironless BLDC motors. *IEEE Access*, 6, pp.64970-64980. I. S. Jacobs and C. P. Bean, "Fine particles, thin films and exchange anisotropy," in *Magnetism*, vol. III, G. T. Rado and H. Suhl, Eds. New York: Academic, 1963, pp. 271-350.
- [3] Karnavas, Yannis L., and Ioannis D. Chasiotis. "PMDC coreless micro-motor parameters estimation through grey wolf optimizer." In *2016 XXII International Conference on Electrical Machines (ICEM)*, pp. 865-870. IEEE, 2016.
- [4] Pahlavani, M.R.A. and Tahanian, H., 2021. Design of a small disc-type coreless permanent magnet brushed DC actuator. *COMPEL-The international journal for computation and mathematics in electrical and electronic engineering*, 40(5), pp.997-1010.
- [5] Wang, X., Li, T., Cui, X. and Zhao, X., 2022. Design and Analysis of Coreless Axial Flux Permanent Magnet Machine with Novel Composite Structure Coils. *Energies*, 15(14), p.5162.
- [6] Kou, B., Huang, C., Zhao, X. and Zhang, L., 2022, May. Comparative Analysis of Coreless Multidisc Axial Flux Permanent Magnet Motors for Electric Propulsion System. In *2022 IEEE 5th International Electrical and Energy Conference (CIEEC)* (pp. 3051-3055). IEEE.
- [7] Liu, X., Hu, H., Zhao, J., Belahcen, A., Tang, L. and Yang, L., 2015. Analytical solution of the magnetic field and EMF calculation in ironless BLDC motor. *IEEE Transactions on Magnetics*, 52(2), pp.1-10.
- [8] Hwang, C.C., Li, P.L., Chuang, F.C., Liu, C.T. and Huang, K.H., 2009. Optimization for reduction of torque ripple in an axial flux permanent magnet machine. *IEEE Transactions on Magnetics*, 45(3), pp.1760-1763.
- [9] Aydin, M., Gulec, M., Demir, Y., Akyuz, B. and Yolacan, E., 2016, September. Design and validation of a 24-pole coreless axial flux permanent magnet motor for a solar powered vehicle. In *2016 XXII International Conference on Electrical Machines (ICEM)* (pp. 1493-1498). IEEE.
- [10] Geng, W. and Zhang, Z., 2018. Analysis and implementation of new ironless stator axial-flux permanent magnet machine with concentrated nonoverlapping windings. *IEEE Transactions on Energy Conversion*, 33(3), pp.1274-1284.
- [11] Liu, Y., Zhang, Z., Wang, C., Geng, W. and Yang, T., 2020. Design and analysis of oil-immersed cooling stator with nonoverlapping concentrated winding for high-power ironless stator axial-flux permanent magnet machines. *IEEE Transactions on Industrial Electronics*, 68(4), pp.2876-2886.
- [12] Geng, W., Zhang, Z. and Li, Q., 2020. High torque density fractional-slot concentrated-winding axial-flux permanent-magnet machine with modular SMC stator. *IEEE Transactions on Industry Applications*, 56(4), pp.3691-3699.
- [13] Huzlik, R. and Ondrusek, C., 2016, September. Design of axial coreless permanent magnet generator for small hydro power plant. In *2016 XXII International Conference on Electrical Machines (ICEM)* (pp. 1539-1544). IEEE.
- [14] Taran, N., Rallabandi, V. and Ionel, D.M., 2019, June. Waved: A coreless axial flux pm motor for drive systems with constant power operation. In *2019 IEEE Transportation Electrification Conference and Expo (ITEC)* (pp. 1-6). IEEE.
- [15] Taran, N., Rallabandi, V. and Ionel, D.M., 2019, June. Waved: A coreless axial flux pm motor for drive systems with constant power operation. In *2019 IEEE Transportation Electrification Conference and Expo (ITEC)* (pp. 1-6). IEEE.
- [16] Anvari, B., Li, X., Toliyat, H.A. and Palazzolo, A., 2018. A coreless permanent-magnet machine for a magnetically levitated shaft-less flywheel. *IEEE Transactions on Industry Applications*, 54(5), pp.4288-4296.
- [17] Stamenkovic, I., Milivojevic, N., Schofield, N., Krishnamurthy, M. and Emadi, A., 2012. Design, analysis, and optimization of ironless stator permanent magnet machines. *IEEE Transactions on Power Electronics*, 28(5), pp.2527-2538.
- [18] Santiago, J. and Bernhoff, H., 2010. Regular paper Comparison between axial and radial flux PM coreless machines for flywheel energy storage. *J. Electrical Systems*, 6(2).
- [19] Huang, C., Kou, B., Zhao, X., Niu, X. and Zhang, L., 2022. Multi-objective optimization design of a stator coreless multidisc axial flux permanent magnet motor. *Energies*, 15(13), p.4810.
- [20] Taqavi, O., Abdollahi, S.E. and Aslani, B., 2021, February. Investigations of Magnet Shape Impacts on Coreless Axial-Flux PM Machine Performances. In *2021 12th Power Electronics, Drive Systems, and Technologies Conference (PEDSTC)* (pp. 1-5). IEEE.
- [21] Aydin, M. and Gulec, M., 2016. A new coreless axial flux interior permanent magnet synchronous motor with sinusoidal rotor segments. *IEEE Transactions on magnetics*, 52(7), pp.1-4.
- [22] Dehez, B., Baudart, F. and Perriard, Y., 2017, May. Analysis of a new topology of flexible PCB winding for slotless BLDC machines. In *2017 IEEE International Electric Machines and Drives Conference (IEMDC)* (pp. 1-8). IEEE.
- [23] Wu, S., Zhao, X., Jiao, Z., Luk, P.C.K. and Jiu, C., 2016. Multi-objective optimal design of a toroidally wound radial-flux Halbach permanent magnet array limited angle torque motor. *IEEE Transactions on Industrial Electronics*, 64(4), pp.2962-2971.
- [24] Jumayev, S., Borisavljevic, A., Boynov, K., Pyrhonen, J. and Lomonova, E.A., 2014. 3D model of armature field of helical (faulhaber) winding including rotor eddy currents. In *Young Researchers Symposium 2014 Proceedings, Gent* (pp. 1-6).
- [25] Jumayev, S., Boynov, K.O., Paulides, J.J.H., Lomonova, E.A. and Pyrhönen, J., 2016. Slotless PM machines with skewed

- winding shapes: 3-D electromagnetic semianalytical model. *IEEE Transactions on Magnetics*, 52(11), pp.1-12.
- [26] Jumayev, S., Borisavljevic, A., Boynov, K., Pyrhonen, J. and Lomonova, E.A., 2014. 3D model of armature field of helical (faulhaber) winding including rotor eddy currents. In *Young Researchers Symposium 2014 Proceedings, Gent* (pp. 1-6).
- [27] Hwang, C.C. and Li, P.L., 2012. Comparison of Performance between Concentrated and Rhombic Windings for a Slotless Brushless DC Motor. In *Applied Mechanics and Materials* (Vol. 130, pp. 2832-2835). Trans Tech Publications Ltd.
- [28] Jumayev, S., Borisavljevic, A., Boynov, K., Lomonova, E.A. and Pyrhönen, J., 2013, March. Force and torque calculation methods for airgap windings in permanent magnet machines. In *2013 Eighth International Conference and Exhibition on Ecological Vehicles and Renewable Energies (EVER)* (pp. 1-4). IEEE.